


Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A compound of the general formula (I),



General Formula (I)

its stereoisomers, its radioisotopes, its geometric forms, its N-oxide, ~~its polymorphs, its pharmaceutically acceptable salts, its pharmaceutically acceptable solvates, its useful bio-active metabolites, any suitable combination of the above;~~

wherein R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈, R₉, may be same or different, and represent hydrogen, halogen, hydroxyl, substituted or unsubstituted groups selected from linear or branched (C₁ - C₃) alkyl and (C₁-C₃) alkoxy, R₁₀ represents hydrogen, halogen, hydroxyl, substituted or unsubstituted groups selected from linear or branched (C₁ - C₃) alkyl and aryl; R₁₁, R₁₂, R₁₃ and R₁₄ may be same or different, and represent hydrogen and substituted or unsubstituted groups selected from linear or branched (C₁-C₃) alkyl;

"n" is an integer value representing 2 ; and

"m" is an integer ranging from 0 to 2 and preferably m is 1 or 2.

2. (Original) A compound according to claim 1, which is selected from the following list:

- [2-(1-(Benzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Isopropylbenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2',4'-Dimethoxybenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Bromobenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromobenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Fluorobenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Chlorobenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Methylbenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(Benzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Isopropylbenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2',4'-Dimethoxybenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Bromobenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2',4'-Dimethoxybenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Bromobenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromobenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Fluorobenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Chlorobenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Methylbenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(Benzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(4'-Isopropylbenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
- [2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)-ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine
[2-(1-(4'-Fluorobenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine
[2-(1-(4'-Chlorobenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine
[2-(1-(4'-Methylbenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine
[2-(1-(Benzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)-ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(Benzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)-ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl] dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-bromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine [2-(1-(4'-Methylbenzenesulfonyl)-6-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl] dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-6-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-6-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl-]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine

[2-(1-(4'-Isopropylbenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Bromobenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5,7-dichloro-1H-indol-3-yloxy)-ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5,7-dichloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromo,4'-Methylbenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5,7-dichloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5,7-dibromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Chlorobenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5,7-dibromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo,4-Methylbenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5,7-dibromo-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-Methylbenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-7-bromo-5-chloro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Bromobenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromo,4'-Methylbenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromobenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Fluorobenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Chlorobenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Methylbenzenesulfonyl)-7-bromo-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(Benzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Isopropylbenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromo-4-methoxybenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Bromobenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromo,4'-Methylbenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(2'-Bromobenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Fluorobenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-7-bromo-5-chloro-2-methyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-methoxy-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo,4'-Methylbenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-methoxy-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromo,4'-Methylbenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;

[2-(1-(4'-Methylbenzenesulfonyl)-5-methoxy-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(Benzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Isopropylbenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-yloxy)
ethyl]dimethylamine;
[2-(1-(2'-Bromo-4'-methoxybenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2',4'-Dimethoxybenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(4'-Bromobenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-yloxy) ethyl]dimethylamine;
[2-(1-(2'-Bromo,4'-Methylbenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-
yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-yloxy) ethyl]dimethylamine;
[2-(1-(4'-Fluorobenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-yloxy) ethyl]dimethylamine;
[2-(1-(4'-Chlorobenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-yloxy) ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-methoxy-2-methyl-1H-indol-3-yloxy) ethyl]dimethylamine;
[2-(1-Benzenesulfonyl-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-Benzenesulfonyl-5-bromo-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-Benzenesulfonyl-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-Benzenesulfonyl-5-fluoro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-fluoro-2-phenyl-1H-indol-3-yloxy) ethyl]dimethylamine;
[2-(1-(4'-Methylbenzenesulfonyl)-5-chloro-2-phenyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-Benzenesulfonyl-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-Benzenesulfonyl-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-Benzenesulfonyl-5-nitro-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-1H-indol-3-yloxy)ethyl]dimethylamine;
[2-(1-(2'-Bromobenzenesulfonyl)-5-bromo-1H-indol-3-yloxy)ethyl]dimethylamine; or
~~a stereoisomer, or a polymorph, or any suitable combination of above such as a nitrogen oxide~~
~~thereof, a prodrug of the compound or the nitrogen oxide; a pharmaceutically acceptable salt~~

~~of the compound, the nitrogen oxide, or the prodrug, or a solvate or hydrate of the compound, the nitrogen oxide, the prodrug or the pharmaceutically acceptable salt.~~

3. (Original) A pharmaceutical composition comprising of one or more of a pharmaceutically acceptable carrier, diluents, or excipients ~~or solvates~~ along with a therapeutically effective amount of a compound according to claim 1, its stereoisomers, its geometric forms, its N-oxides, its polymorphs, or its pharmaceutically acceptable salts, ~~or solvates~~.
4. (Currently Amended) A pharmaceutical composition according to claim 3, in the form of a tablet, capsule, powder, lozenges, suppositories, syrup, solution, suspension or injectable solution, administered in, as a single dose or multiple dose units.
5. (Withdrawn) A process for the preparation of a compound of general formula (I) as claimed in claim (1), which comprises of any one of the following routes, Route i): reacting a compound of formula (II) given below, wherein all the symbols are as defined above; R represents either of a suitable N-protecting group, or a group such as, wherein all symbols are as defined above, with a compound of formula (III) or its acid addition salt, wherein all the symbols are as defined above and Lg is a leaving group; Route ii): reacting a compound of formula (IV) given below, wherein all symbols are as defined above; with a compound of formula (V) wherein all symbols are as defined above and X is a halogen, preferably chloro or bromo; Route iii): reacting a compound of formula (VI) wherein all symbols are as defined above, R_a is defined as either hydrogen, chloro, bromo, lithio, trimethylsilyl, lower alkoxy, boronic acid or trifluoromethanesulfonate groups; and R is defined as a suitable N-protecting group or a group such as, wherein all symbols are defined above with a compound of formula (III) or its acid addition salt, wherein all the symbols are as defined above and Lg is a leaving group either sulfonyloxy or halogeno; Route iv): reacting a compound of formula (VII) wherein all the symbols are as defined above and R is defined as a suitable N-protecting group, or a group such as, wherein all the symbols are as defined above, with a compound of formula (VIII) NR₁₃R₁₄H (VIII) wherein all the symbols are as defined above; Route v): reacting a compound of formula (IX) wherein all the symbols are as defined above

and R is defined as a suitable N-protecting group or a group such as, wherein all the symbols are as defined above with a compound of formula (VIII), $\text{NR}_{13}\text{R}_{14}\text{H}$ (VIII) wherein all the symbols are as defined above, followed by reduction; Route vi): reacting a compound of formula (X) wherein all the symbols are as defined above, R_b represents hydrogen atom or a benzyl radical and R is defined as a suitable N-protecting group or a group such as, wherein all the symbols are as defined above with a compound of formula (XI) or precursor thereof, wherein all the symbols are as defined above; and Route vii): displacing any of the substituent group/s in the compound of formula (I) by hydrogen atom/s by carrying out complete hydrogenolysis or partial hydrogenolysis.

6. (Withdrawn) A process according to claim-5, comprising of carrying out one or more of the following optional steps: i) removing any protecting group; ii) resolving the racemic mixture into pure enantiomers by the known methods and iii) preparing a pharmaceutically acceptable salt of a compound of formula (I) and/or iv) preparing a pharmaceutically acceptable prodrug thereof.

7. (Withdrawn) Novel intermediates defined by general formula (II), wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , and R_9 may be same or different, and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched $(\text{C}_1\text{-C}_{12})$ alkyl, $(\text{C}_2\text{-C}_{12})$ alkenyl, $(\text{C}_2\text{-C}_{12})$ alkynyl, $(\text{C}_3\text{-C}_7)$ cycloalkyl, $(\text{C}_3\text{-C}_7)$ cycloalkenyl, bicycloalkyl, bicycloalkenyl, $(\text{C}_1\text{-C}_{12})$ alkoxy, cyclo $(\text{C}_3\text{-C}_7)$ alkoxy, aryl, aryloxy, aralkyl, aralkoxy, heterocyclyl, heteroaryl, heterocyclylalkyl, heteroaralkyl, heteroaryloxy, heteroaralkoxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, diarylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl arylalkyl, aralkoxyalkyl, alkylthio, thioalkyl, alkoxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, hydroxylamino, carboxylic acid and its derivatives, sulfonic acids and its derivatives,

phosphoric acid and its derivatives; or the adjacent groups like R₁ and R₂ or R₂ and R₃ or R₃ and R₄ or R₅ and R₆ or R₆ and R₇ or R₇ and R₈ or R₈ and R₉ together with carbon atoms to which they are attached may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, S and combinations of double bond and heteroatoms; "m" is an integer ranging from 0 to 2 preferably m is 1 or 2; R₁₀ represents hydrogen, halogen, perhaloalkyl, substituted or unsubstituted groups selected from linear or branched (C₁-C₃)alkyl and aryl; and its stereoisomers and its salts.

8. (Withdrawn) Novel intermediates defined of general formula (VI), wherein R₁ and R₂ or R₂ and R₃ or R₃ and R₄ or R₅ and R₆ or R₆ and R₇ or R₇ and R₈ or R₈ and R₉ may be same or different, and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C₁-C₁₂)alkyl, (C₂-C₁₂)alkenyl, (C₂-C₁₂)alkynyl, (C₃-C₇)cycloalkyl, (C₃-C₇) cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂)alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, aralkoxy, heterocyclyl, heteroaryl, heterocyclylalkyl, heteroaralkyl, heteroaryloxy, heteroaralkoxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, diarylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl arylalkyl, aralkoxyalkyl, alkylthio, thioalkyl, alkoxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, hydroxylamino, carboxylic acid and its derivatives, sulfonic acids and its derivatives, phosphoric acid and its derivatives; or the adjacent groups like R₁ and R₂ or R₂ and R₃ or R₃ and R₄ or R₅ and R₆ or R₆ and R₇ or R₇ and R₈ or R₈ and R₉ together with carbon atoms to which they are attached may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, S and combinations of double bond and heteroatoms; "n" is an integer ranging from 1 to 8, preferably 1 to 4, wherein the carbon chains which "n" represents may be either linear or branched; and "m" is an integer ranging from 0 to 2

preferably m is 1 or 2; R_a is defined as either hydrogen, halogen (such as chloro or bromo), lithio, trimethylsilyl, lower alkoxy, boronic acid or trifluoromethanesulfonate groups; R₁₀ represents hydrogen, halogen, perhaloalkyl, substituted or unsubstituted groups selected from linear or branched (C₁-C₃)alkyl and aryl; its stereoisomers and its salts; along with the proviso that whenever R is SO₂Ph, and all of R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈, R₉, and R₁₀ substituents are hydrogen's, R_a never either of bromo, lithio, trimethylsilyl, boronic acid or trifluoromethanesulfonate groups.

9. (Withdrawn) Novel intermediates of general formula (VII) are represented as given below, wherein R₁ and R₂ or R₂ and R₃ or R₃ and R₄ or R₅ and R₆ or R₆ and R₇ or R₇ and R₈ or R₈ and R₉, R₁₁ and R₁₂ may be same or different, and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C₁-C₁₂)alkyl, (C₂-C₁₂)alkenyl, (C₂-C₁₂)alkynyl, (C₃-C₇)cycloalkyl, (C₃-C₇)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C₁-C₁₂))alkoxy, cyclo(C₃-C₇)alkoxy, aryl, aryloxy, aralkyl, aralkoxy, heterocyclyl, heteroaryl, heterocyclylalkyl, heteroaralkyl, heteroaryloxy, heteroaralkoxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, diarylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl arylalkyl, aralkoxyalkyl, alkylthio, thioalkyl, alkoxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, hydroxylamino, carboxylic acid and its derivatives, sulfonic acids and its derivatives, phosphoric acid and its derivatives; or the adjacent groups like R₁ and R₂ or R₂ and R₃ or R₃ and R₄ or R₅ and R₆ or R₆ and R₇ or R₇ and R₈ or R₈ and R₉ together with carbon atoms to which they are attached may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, S and combinations of double bond and heteroatoms; or R₁₁ and R₁₂ together with carbon atoms to which they are attached may form a three to a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, S and combinations of

double bond and heteroatoms; R_{10} represents hydrogen, halogen, perhaloalkyl, substituted or unsubstituted groups selected from linear or branched (C_1 - C_3)alkyl and aryl; "n" is an integer ranging from 1 to 8, preferably 1 to 4,

wherein the carbon chains which "n" represents may be either linear or branched; and "m" is an integer ranging from 0 to 2 preferably m is 1 or 2;

R_a is defined as either hydrogen, halogen (such as chloro or bromo), lithio, trimethylsilyl, lower alkoxy, boronic acid or trifluoromethanesulfonate groups; and its stereoisomers and its salts.

10. (Withdrawn) Novel intermediates of general formula (IX) are represented as given below, wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , R_9 , R_{11} and R_{12} may be same or different, and represent hydrogen, halogen, perhaloalkyl, hydroxy, thio, amino, nitro, cyano, formyl, amidino, guanidino, substituted or unsubstituted groups selected from linear or branched (C_1 - C_{12})alkyl, (C_2 - C_{12})alkenyl, (C_2 - C_{12})alkynyl, (C_3 - C_7)cycloalkyl, (C_3 - C_7)cycloalkenyl, bicycloalkyl, bicycloalkenyl, (C_1 - C_{12})alkoxy, cyclo(C_3 - C_7)alkoxy, aryl, aryloxy, aralkyl, aralkoxy, heterocyclyl, heteroaryl, heterocyclylalkyl, heteroaralkyl, heteroaryloxy, heteroaralkoxy, heterocyclylalkyloxy, acyl, acyloxy, acylamino, monoalkylamino, dialkylamino, arylamino, diarylamino, aralkylamino, alkoxycarbonyl, aryloxycarbonyl, aralkoxycarbonyl, heterocyclylalkoxycarbonyl, heteroaryloxycarbonyl, hydroxyalkyl, aminoalkyl, monoalkylaminoalkyl, dialkylaminoalkyl, alkoxyalkyl arylalkyl, aralkoxyalkyl, alkylthio, thioalkyl, alkoxycarbonylamino, aralkyloxycarbonylamino, aminocarbonylamino, alkylaminocarbonylamino, alkylamidino, alkylguanidino, dialkylguanidino, hydrazino, hydroxylamino, carboxylic acid and its derivatives, sulfonic acids and its derivatives, phosphoric acid and its derivatives; or the adjacent groups like R_1 and R_2 or R_2 and R_3 or R_3 and R_4 or R_5 and R_6 or R_6 and R_7 or R_7 and R_8 or R_8 and R_9 together with carbon atoms to which they are attached may form a five or a six membered ring, optionally containing one or more double bonds and optionally containing one or more heteroatoms selected from O, N, S and combinations of double bond and heteroatoms; R_{10} represents hydrogen, halogen, perhaloalkyl, substituted or unsubstituted groups selected from linear or branched (C_1 - C_3)alkyl and aryl; "n" is an integer ranging from 1 to 8, preferably 1 to 4, wherein the carbon chains which "n" represents may be either linear or branched; and "m" is an integer ranging from 0 to 2 preferably m is 1 or 2; and its stereoisomers and its salts.

11. (Withdrawn) Use of the compounds as claimed in claim 1, in combination with other pharmaceutical agents, such as apo-B/MTP inhibitors, MCR-4 agonists, CCK-A agonists, monoamine reuptake inhibitors, sympathomimetic agents, adrenergic receptor agonists, dopamine agonists, melanocyte-stimulating hormone receptor analogs, cannabinoid 1 receptor antagonists, melanin concentrating hormone antagonists, leptins, leptin analogs, leptin receptor agonists, galanin antagonists, lipase inhibitors, bombesin agonists, neuropeptide-Y antagonists, thyromimetic agents, dehydroepiandrosterone or analogs thereof, glucocorticoid receptor agonists or antagonists, orexin receptor antagonists, urocortin binding protein antagonists, glucagon-like peptide-1 receptor agonists, ciliary neurotrophic factors, AGRPs (human agouti-related proteins), ghrelin receptor antagonists, histamine 3 receptor antagonists or reverse agonists, neuromedin U receptor agonists, in a therapeutically effective amount via a suitable pharmaceutical composition, to achieve the desired effect in mammals as well as humans.

12. (Withdrawn) Use of compound of general formula (I), as defined in claim 1 or a pharmaceutical composition as defined in claim 3 for preparing the medicaments.

13. (Withdrawn) Use of a compound as claimed in claim 1 for the treatment and/or prevention of clinical conditions such as anxiety, depression, convulsive disorders, obsessive-compulsive disorders, migraine headache, cognitive memory disorders, ADHD (Attention Deficient Disorder/Hyperactivity Syndrome), personality disorders, psychosis, paraphrenia, psychotic depression, mania, schizophrenia, schizophreniform disorders, withdrawal from drug abuse, panic attacks, chronobiological abnormalities, circadian rhythms, anxiolytic, osteoporosis, ischemic stroke, lower the risk of SIDS in young infants with low endogenous melatonin levels, reproduction, glaucoma, sleep disorders and also disorders associated with spinal trauma and/or head injury.

14. (Withdrawn) Use of a compound as claimed in claim 1 for the treatment of mild cognitive impairment and other neurodegenerative disorders like Alzheimer's disease, Parkinsonism and Huntington's chorea.

15. (Withdrawn) Use of a compound as claimed in claim 1 for the treatment of certain GI

(Gastrointestinal) disorders such as IBS (Irritable bowel syndrome) or chemotherapy induced emesis.


16. (Withdrawn) Use of a compound as claimed in claim 1 to reduce morbidity and mortality associated with the excess weight.

17. (Withdrawn) Use of a radiolabelled compound as claimed in claim 1, as a diagnostic tool for modulating 5-HT and/or Melatonin receptor function.


18. (New) A method of treatment of a disorder or medical condition selected from obesity, Alzheimer's, cognition and schizophrenia, which comprises administering to said a patient a therapeutically effective amount of a compound of Claim 1.

19. (New) A process for the preparation of a compound of general formula (I) as claimed in Claim 1 comprising:


a) reacting a compound of formula (II),



where R represents either a suitable N-protecting groups or a group such as



with a compound of formula (III) or its acid addition salt,



to obtained compound of general formula (I), wherein all the symbols are as defined in Claim 1
and Lg is a leaving group.